


ANY SPOT[®]

ESS

HEADSET



**GALAXY AUDIO LIGHTWEIGHT
HEADSET MICROPHONE**



MAKERS OF THE ORIGINAL
HOT SPOT PERSONAL MONITOR

Thank you for your purchase of a Galaxy Audio headset microphone. This Super Lightweight Headset Microphone is highly sensitive, with a wide frequency response for crisp, clear sound. It's aesthetically pleasing, hands-free design is ideal for vocalists, coaches, teachers or anyone who uses a microphone while speaking or performing.

The microphone works great with many wireless transmitters available. Detachable cables are available to use the ESS with transmitters made by Shure®, Sennheiser®, AKG®, Audio Technica®, Galaxy Audio®, Plus we can wire for most brands. You can also use the microphone with most PC sound cards (adaptor not included). Also, our JIB/PB may be used if a wireless transmitter is not available or needed. The JIB/PB will supply phantom power (if needed) to the headset and adapt the mini connector on the headset to a standard XLR connector so it can be attached to a soundboard.

The soft microphone stem allows for easy adjustment of the microphone's position as you wear the headset.

The ESS's discrete design incorporates a 1.5" mic boom that is super lightweight and makes wearing the microphone more comfortable, even for long periods of time, without using excessive pressure to hold the microphone in place.


SPECIFICATIONS:

- Mic Boom Length: 1.5"
- Polar Pattern: Omni-directional.
- Frequency Response: 20 Hz to 20,000 Hz (Omni-directional)
- Impedance: $2,000\Omega \pm 30\%$ (at 1 KHz) (Omni-directional)
- Sensitivity: $-63\text{dB} \pm 3\text{dB}$ (0dB= 1V/microbar) (Omni-directional)
- Operating Voltage: 1V~10V DC (RL:2K2 Ω)
- Cable Length: 53" (1.3m) 1.5mm diameter



FREQUENCY RESPONSE CURVE:

(B) Omni-directional




HOW TO WEAR THE MICROPHONE

The innovative single ear loop “Auriform” design of these microphones makes them fit anyone comfortably, including those who wear glasses. The flexible stem may be shaped to fit the contours of the performer's head and allows the ear loop to fit either the left or the right ear. The inconspicuous cable attaches to the ear loop at the point that is hidden behind the earlobe.

WARNING:

The microphone stem could be damaged if it is bent too sharply. When attaching the cable to the headset do not over-tighten the threaded connector.

MICROPHONE IDENTIFICATION



HSE-O (Omni-directional)



MAKERS OF THE ORIGINAL
HOT SPOT PERSONAL MONITOR