

# GOOSE NECK MICROPHONES

**DYNAMIC CARDIOID MICROPHONE**

## **GN-DC119**



Close-Up View



<http://www.galaxyaudio.com/InstallMics.php>




Thank you for choosing a Galaxy Dynamic Cardioid Gooseneck Microphone. You have joined hundreds of thousands of other satisfied Galaxy customers. Since 1977 Galaxy Audio's professional experience in design and manufacturing ensure our products' quality, performance and reliability.

For the most up to date manual and information  
visit [www.galaxyaudio.com](http://www.galaxyaudio.com).



**SPECIFICATIONS:**

**Element**.....Moving Coil Dynamic  
**Polar Pattern**.....Cardioid  
**Frequency Response**.....100 Hz to 12 kHz  
**Sensitivity**.....72dB +/- 3dB (0dB= 1V/microbar at 1KHz)  
**Impedance**.....500 ohms (at 1KHz)  
**Output Connector**.....3-Pin XLR (Male)  
**Weight**.....5 oz (140 g)  
**Dimensions**.....Ø 1.14" x 17.83" (29 x 453mm)  
**Accessory**.....Foam Windscreen

**Frequency Response Graph:**



**Polars**





MAKERS OF THE ORIGINAL  
HOT SPOT PERSONAL MONITOR



[www.galaxyaudio.com](http://www.galaxyaudio.com)

## ***THREE YEAR LIMITED WARRANTY***

**WARRANTY** Information can be viewed online at  
<http://www.galaxyaudio.com/warranty.php>



[www.galaxyaudio.com/warranty.php](http://www.galaxyaudio.com/warranty.php)

## **GN-DC119** **USER'S GUIDE**

Specifications in this manual are subject to change without notice.  
For the most up to date manual and information  
visit [www.galaxyaudio.com](http://www.galaxyaudio.com).

1-800-369-7768    [www.galaxyaudio.com](http://www.galaxyaudio.com)

© Copyright Galaxy Audio 2014